Scholar **All articles - Recent articles** Results **21** - **30** of about **525** for **adaptable mesh geometrical**

Future directions for adaptive **mesh** refinement in ASCI and other LLNL simulation projects
RD Hornung - 1997 - osti.gov
... uniform **geometry** and regular connectivityy, as illustrated in **...** The research into **adaptive mesh** refinement simulation **...** a form of spatial **mesh** refinement directly **...**
Cited by 3 - Related articles - View as HTML - Web Search - All 2 versions

Computer-aided bone distraction
N Krause, RW Mendicino, K Shimada, L Weiss, T ... - US Patent App. 10/636,052, 2003 - Google Patents
... Free-Form *~ Deformation Parameters With **Adaptive** Mpdel^Refinement **...** representing a standard parametric **geometry** and topology **...** The **template** polygonal **mesh** is then **...**
Cited by 3 - Related articles - Web Search - All 7 versions

A parallel object-oriented application for 3d electromagnetism- ▶ inria.fr [PDF]
L Baduel, F Baude, D Caromel, C Delbe, N Gama, SE ... - Parallel and Distributed Processing Symposium, 2004. ..., 2004 - ieeexplore.ieee.org
... In particular, it can use curvilinear grids, **adaptive mesh** refinement, and the composite **...** (vertices and element connectivity) Tetrahedral **mesh ... Geometry ...**
Cited by 14 - Related articles - Web Search - All 14 versions

Time Critical Isosurface Refinement and Smoothing
CL Bajaj, V Pascucci - IEEE Symposium on Volume Visualization, 2000. VV 2000, 2000 - ieeexplore.ieee.org
... pendently of the intrinsic/embedding dimension of the **geometric** object **... Mesh** Refinement **...** have been designed in the meshing community for the **adaptive** refinement of **...**
Related articles - Web Search

[PDF] ▶ Manipulating, deforming and animating sampled object representations
M Chen, C Correa, S Islam, MW Jones, PY Shen, D ... - Computer Graphics Forum, 2007 - cs.swan.ac.uk
... a constructive **model** (eg, parameters of a **primitive** function in **...** are more than hundreds of **geometric** elements in **...** to associate a deformable polygonal **mesh** with a **...**
Related articles - View as HTML - Web Search - BL Direct - All 9 versions

[PDF] ▶ Three-dimensional modeling for functional analysis of cardiac images, a review
AF Frangi, WJ Niessen, MA Viergever - IEEE Transactions on **Medical** Imaging, 2001 - tecn.upf.es
... planning of surgical interventions, and for **mesh** generation for **...** IEEE TRANSACTIONS ON **MEDICAL** IMAGING, VOL **...** LV while keeping the intrinsic **geometrical** meaning of **...**
Cited by 252 - Related articles - View as HTML - Web Search - All 10 versions

[BOOK] New advances in virtual humans: artificial intelligence environment
N Magnenat-Thalmann - 2008 - books.google.com
... Each segment is a **geometric primitive** connected by joints which have **...** principle of the neural network allows **adaptive** error mini **... MESH** ANIMATED **MESH** FINAL **MESH** Fig **...**
Related articles - Web Search - Library Search - All 3 versions

[PDF] ▶ Hybrid meshes: multiresolution using regular and irregular refinement
I Guskov, A Khodakovsky, P Schröder, W Sweldens - Proceedings of the eighteenth annual symposium on ..., 2002 - eecs.umich.edu
... operations (these typically happen near important **geometric** or topological **...** until we reach the final **adaptive** remesh M **...** be generated for this sub- **mesh**, with the **...**

Scholar **All articles - Recent articles** Results **1 - 10** of about **75** for **3d mesh femur model sphere g**

Automated measurement of objects using deformable models
M Kaus, J Weese, S Lobregt - US Patent App. 10/521,254, 2003 - Google Patents
... "Shape constrained deform- able **models** for **3D** medical image ... sub-parts (eg surface elements of a **mesh** such as ... primitives (eg a **sphere** to the **femur** head) to ...
Web Search - All 6 versions

VRML visualization in a surgery planning and diagnostics application
H Holten-Lund, M Hvidtfeldt, J Madsen, S Pedersen - Proceedings of the fifth symposium on Virtual reality ..., 2000 - portal.acm.org
... Rotor.set_fraction ROUTE Rotor.value_changed TO **Femur**.set_rotation ... The **3D** graphics renderer used by the VRML ... The renderer uses a **mesh** representation where the ...
Cited by 7 - Related articles - Web Search - All 5 versions

Efficient and Accurate **Femur** Reconstruction using **Model**-based Segmentation and Superquadric Shapes
R Cuypers, Z Tang, W Luther, J Pauli - Proceedings of the Fourth IASTED International Conference - actapress.com
... method was applied to a **3D** point set ... **model** was used to extract certain significant **femur** features from ... de- termined by the above-mentioned **mesh-model** fitting ap ...
Cited by 1 - Related articles - Web Search - All 4 versions

Rapid prototyping applications in medicine. Part 2: STL file generation and case studies
D Ma, F Lin, CK Chua - The International Journal of Advanced Manufacturing ..., 2001 - Springer
... gener- ated through the triangular **mesh** construction process ... **model** is obtained from **3D** reconstruction of ... An upper **femur model** derived from reconstructed NURBS ...
Cited by 9 - Related articles - Web Search - BL Direct - All 3 versions

Skeleton-based modeling operations on solids
DW Storti, GM Turkiyyah, MA Ganter, CT Lim, DM ... - Proceedings of the fourth ACM symposium on Solid modeling ..., 1997 - portal.acm.org
... resentation of **3D** shapes may be described in three steps ... of detail while still showing the gross shape of the **femur**. ... 3 Hexahedral Finite Element **Mesh** Generation ...
Cited by 49 - Related articles - Web Search - All 2 versions

[PDF] Simulation Lab# 3: Kinematic and **Geometric** Modeling of the Hip, Knee, and Associated Muscles
BJ Fregly - Citeseer
... base SIMM bone files that represent the **3D** bone and muscle surfaces as polygon **meshes** ... anatomical landmarks used for establishing the **femur** reference frame ...
Related articles - View as HTML - Web Search - All 3 versions

Implicit reconstruction of solids from cloud point sets
CT Lim, GM Turkiyyah, MA Ganter, DW Storti - Proceedings of the third ACM symposium on Solid modeling and ..., 1995 - portal.acm.org
... of several sample data sets, including a molar and a **femur**. ... exist for manipulating polygonal **meshes** in real-time ... a scheme for the reconstruction of **3D** data from ...
Cited by 37 - Related articles - Web Search - All 2 versions

Scholar **All articles - Recent articles** Results **1 - 10** of about **618** for **3d mesh model "geometric pri**

[PDF] Partitioning 3 D surface meshes using watershed segmentation
AP Mangan, RT Whitaker - IEEE Transactions on Visualization and Computer Graphics, 1999 - scilib.kiev.ua
... data with the goal of constructing CAD **models**. **...** and matching of any type of underlying **geometric primitive**. **...** For **3D mesh** segmentation, we have chosen the latter **...**
Cited by 266 - Related articles - View as HTML - Web Search - All 14 versions

Recent advances in compression of **3D** meshes- inria.fr [PDF]
P Alliez, C Gotsman - Advances in Multiresolution for Geometric Modelling, 2005 - Springer
... Techniques which remesh the **model** before compression. **...** Recent Advances in Compression of **3D Meshes** 5 **...** why much of the work in the area of **mesh** compression prior **...**
Cited by 105 - Related articles - Web Search - All 24 versions

A texture-mapping approach for the compression of colored **3D** triangulations
M Soucy, G Godin, M Rioux - The Visual Computer, 1996 - Springer
... to be applied onto the compact triangulated **mesh**. **...** texture filtering, independently of the **3D** shape compression **...** order to define a usable texture- mapped **model**. **...**
Cited by 87 - Related articles - Web Search - BL Direct - All 3 versions

Deformable models with parameter functions: application toheart-wall modeling- upenn.edu [PDF]
J Park, D Metaxas, A Young - 1994 IEEE Computer Society Conference on Computer Vision and ..., 1994 - ieeexplore.ieee.org
... 5] developed a spring-mass, adaptive-size **mesh model**, Cohen and **...** of points on the **model** relative to the **model** frame **...** e can represent either a set of **3D** points in **...**
Cited by 50 - Related articles - Web Search - BL Direct - All 3 versions

Deformable m-reps for **3d** medical image segmentation- unc.edu [PDF]
SM Pizer, PT Fletcher, S Joshi, A Thall, JZ Chen, ... - International Journal of Computer Vision, 2003 - Springer
... a multiscale medial means for modeling and rendering **3D** solid geometry **...** medial atoms, which is interpolated from the **model** formed by a net, ie, a **mesh** or chain **...**
Cited by 147 - Related articles - Web Search - BL Direct - All 12 versions

[PDF] An efficient volumetric method for building closed triangular meshes from 3-d image and point data
G Roth, E Wibowoo - Graphics Interface, 1997 - informatik.uni-bonn.de
... A volumetric method for building complex **models** from range **...** cubes: a high resolution **3d** surface reconstruction **...** McDonald, and W. Stuetzle, **Mesh** optimization," in **...**
Cited by 59 - Related articles - View as HTML - Web Search - BL Direct - All 15 versions

Volumetric deformable models with parameter functions: A newapproach to the **3D** motion analysis of ...
J Park, D Metaxas, L Axel - Computer Vision, 1995. Proceedings., Fifth International ..., 1995 - ieeexplore.ieee.org
... relative to an inertial frame of reference @ in **3D** space are **...** of points on the **model** relative to the **model** frame **...** where e is a **geometric primitive** e(u; ao(u), .*(U **...**
Cited by 51 - Related articles - Web Search - All 3 versions

[PDF] The **3D model** acquisition pipeline

Web Images Video News Maps more »

Google scholar partition 3d mesh surface Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** - **Recent articles** Results **1** - **10** of about **19,900** for **partition 3d mesh surface**. (

[PDF] ▶ Partitioning 3 D **surface** meshes using watershed segmentation
AP Mangan, RT Whitaker - IEEE Transactions on Visualization and Computer Graphics, 1999 - scilib.kiev.ua
Partitioning 3D Surface Meshes Using **...** We call the problem of **partitioning** a **3D surface mesh** into meaningful, connected pieces the **mesh** segmentation problem. **...**
Cited by 266 - Related articles - View as HTML - Web Search - All 14 versions

Spectral compression of **mesh** geometry- ▶ psu.edu [PDF]
Z Karni, C Gotsman - Proceedings of the 27th annual conference on Computer ..., 2000 - portal.acm.org
... which better captures the geometry of the **mesh surface**. **...** be neccesary to include this **partition** information as **...** to perform lossy compression of **3D mesh** data is **...**
Cited by 296 - Related articles - Web Search - All 24 versions

Segmentation of **3D** meshes through spectral clustering- ▶ sfu.ca [PDF]
R Liu, H Zhang - Computer Graphics and Applications, 2004. PG 2004. ..., 2004 - ieeexplore.ieee.org
... of geodesic and an- gular distance over the **mesh surface**. **...** use of graph min-cut to **partition** the fuzzy **...** on applying spectral clustering to **3D mesh** segmen- tation **...**
Cited by 65 - Related articles - Web Search - All 14 versions

Bounded-distortion piecewise **mesh** parameterization- ▶ psu.edu [PDF]
O Sorkine, D Cohen-Or, R Goldenthal, D Lischinski - IEEE Visualization, 2002. VIS 2002, 2002 - ieeexplore.ieee.org
... and Realism—Color, shading, shadowing and texture; Keywords: atlas, **mesh partitioning**, parameterization, **surface** flat- tening, texture mapping, **3D** painting **...**
Cited by 107 - Related articles - Web Search - All 19 versions

Intelligent **mesh** scissoring using **3d** snakes- ▶ ajou.ac.kr [PDF]
Y Lee, S Lee, A Shamir, D Cohen-Or, HP Seidel - Computer Graphics and Applications, 2004. PG 2004. ..., 2004 - ieeexplore.ieee.org
... Mesh partitioning and parts extraction have become key ingredients for **...** around a specific part of the **mesh**, and this **...** the initial position of a **3D** geometric snake **...**
Cited by 41 - Related articles - Web Search - All 8 versions

Hierarchical **mesh** decomposition using fuzzy clustering and cuts- ▶ idc.ac.il [PDF]
S Katz, A Tal - ACM Transactions on Graphics (TOG), 2003 - portal.acm.org
... In **3D** shape re- trieval, a decomposition graph serves as **...** distances to all pairs of faces in the **mesh**. **...** For instance, we wish to **partition** the objects in Figure **...**
Cited by 248 - Related articles - Web Search - BL Direct - All 13 versions

[PDF] ▶ High-resolution random **mesh** algorithms for creating a probabilistic **3D surface** atlas of the human ...
PM Thompson, C Schwartz, AW Toga - NeuroImage, 1996 - Citeseer
... brain, we modeled the major sulci in **3D** as deep **...** were modeled using a multiresolution parametric **mesh** approach **...** into the brain to form a natural **partition** of its **...**
Cited by 146 - Related articles - Web Search - BL Direct - All 5 versions

Texture mapping progressive meshes- ▶ stevens.edu [PDF]
PV Sander, J Snyder, SJ Gortler, H Hoppe - Proceedings of the 28th annual conference on Computer ..., 2001 - portal.acm.org

Scholar **All articles - Recent articles** Results **21 - 30** of about **3,730** for **part decomposition 3d mes**

Para-graph: graph-based parameterization of triangle meshes with arbitrary genus- cnr.it [PDF]
G Patane, M Spagnuolo, B Falcidieno - Computer Graphics Forum, 2004 - interscience.wiley.com
... it simply corresponds to the **part** of the **...** factors which mainly differentiate this **decomposition** from simplification **...** with respect to the geometry of the **3D mesh**. **...**
Cited by 17 - Related articles - Web Search - All 4 versions

[PDF] Computing parametric geon descriptions of 3D multi-part objects
K Wu - 1996 - cim.mcgill.ca
... APPENDIX D. **Part Decomposition** : : : : : **...** 1.1 **Part**-based description of a **3D** object **...** 6.15 Results of **part** segmentation **...**
Cited by 10 - Related articles - View as HTML - Web Search - All 11 versions

Domain connected graph: the skeleton of a closed 3D shape for animation- ntu.edu.tw [PDF]
FC Wu, WC Ma, RH Liang, BY Chen, M Ouhyoung - The Visual Computer, 2006 - Springer
... 2.3 **Decomposition**-based method **...** measure shape variation, in order to identify a meaningful **part**. **...** procedure detects where the skeletal points of a **3D** model can **...**
Cited by 15 - Related articles - Web Search - BL Direct - All 6 versions

An evolving system for simulating clothes on virtual actors
P Volino, NM Thalmann, S Jianhua, D Thalmann - IEEE Computer Graphics and Applications, 1996 - ieeexplore.ieee.org
... We achieved efficient computation by **decomposing** the body into **... surface** to be input by either **3D** digitizing or **...** Every **part** is composed of mass blocks, such as **...**
Cited by 84 - Related articles - Web Search - BL Direct - All 7 versions

[PDF] The generation of hexahedral meshes for assembly geometry: survey and progress
TJ Tautges - Int. J. Numer. Meth. Engng, 2001 - Citeseer
... solution step, which is ecient in **part** because it **...** a **surface mesh** is extruded into **3D** elements **...** cent of the volumes resulting from geometry **decomposition**, and the **...**
Cited by 20 - Related articles - View as HTML - Web Search - BL Direct - All 8 versions

Feature based hex meshing methodology: feature recognition and volume **decomposition**- wisc.edu [PDF]
Y Lu, R Gadh, TJ Tautges - Computer-Aided Design, 2001 - Elsevier
... In **3D**, the problem of **decomposition** and meshing becomes **...** 9(a), the lower portion of the **part** can be **...** a good quality **mesh**; however, this **decomposition** leaves an **...**
Cited by 19 - Related articles - Web Search - BL Direct - All 5 versions

Segmentation of 3D Objects Using Pulse-Coupled Oscillator Networks- uci.edu [PDF]
E Ceccarelli, A Del Bimbo, P Pala - IEEE International Conference on Multimedia and Expo, 2005. ..., 2005 - ieeexplore.ieee.org
... into syn- chronized groups reflects a **decomposition** of the original **mesh** into homogeneous **parts**. **...** objects, represented in the form of **3D meshes**; finally, in **...**
Cited by 4 - Related articles - Web Search - All 4 versions

[PDF] Progressive iso-surface extraction from hierarchical 3d meshes
R Grosso, T Ertl - Computer Graphics Forum, 1998 - vis.uni-stuttgart.de

Scholar Results **1** - **10** of about **14** citing **e Lejeune: Finding the parts of objects in range images**. (**0.13** se

A survey of methods for recovering quadrics in triangle meshes- ▶loria.fr [PDF]
S Petitjean - ACM Computing Surveys, 2002 - portal.acm.org
In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to ...
Cited by 87 - Related articles - Web Search - BL Direct - All 11 versions

Whole-body modelling of people from multiview images to populate virtual worlds
A Hilton, D Beresford, T Gentils, R Smith, W Sun, ... - The Visual Computer, 2000 - Springer
In this paper a new technique is intro- duced for automatically building recognis- able, moving 3D models of individual peo- ple. A set of multiview colour images of a person is captured from the front, sides and back by one ...
Cited by 47 - Related articles - Web Search - BL Direct

[PDF] ▶Partitioning range images using curvature and scale
A Lejeune, FP Ferrie - IEEE COMPUTER SOCIETY CONFERENCE ON COMPUTER VISION AND ..., 1993 - eprints.kfupm.edu.sa
Abstract We present a method for partitioning a set of surface estimates obtained with a laser range nding system into subsets corresponding to parts of an object. Our strategy uses two complementary representations for ...
Cited by 24 - Related articles - View as HTML - Web Search - Library Search - BL Direct - All 13 versions

Part-based 3D descriptions of complex objects from a single image
M Zerroug, R Nevatia - IEEE Transactions on Pattern Analysis and Machine ..., 1999 - ieeexplore.ieee.org
AbstractÐVolumetric, 3D, part-based descriptions of complex objects in a scene can be highly beneficial for many tasks such as generic object recognition, navigation, and manipulation. However, it has been difficult to derive such ...
Cited by 19 - Related articles - Web Search - BL Direct - All 10 versions

[CITATION] Popup People: Capturing human models to populate virtual worlds
A Hilton, T Gentils - Proc. SIGGRAPH, 1998
Cited by 9 - Related articles - Web Search

Active object recognition: Looking for differences- ▶northwestern.edu [PDF]
FG Callari, FP Ferrie - International Journal of Computer Vision, 2001 - Springer
Abstract. This paper introduces an information-based methodology for view selection that actively exploits prior knowledge about the objects to be found in a scene. The methodology is used to implement an active recognition ...
Cited by 8 - Related articles - Web Search - BL Direct - All 5 versions

On the sequential determination of model misfit- ▶psu.edu [PDF]
P Whaite, FP Ferrie - IEEE Transactions on Pattern Analysis and Machine ..., 1997 - ieeexplore.ieee.org
Abstract—Many strategies in computer vision assume the existence of general purpose models that can be used to characterize a scene or environment at various levels of abstraction. The usual assumptions are that a selected ...
Cited by 7 - Related articles - Web Search - BL Direct - All 16 versions

[PS] ▶Segmentation of 3-D surface trace points, using a hierarchical tree-based diffusion